

BOTTOM PROFILE, BPP



These mounting profiles can be fitted into the terminal box to allow for DIN rails to be easily installed, exactly where required, for the mounting of modular components, eliminating the need for using the box's mounting plate.

FEATURES

Description: Bottom profile for DIN rail mounting.

Material: Galvanized steel.

Pack quantity: 2 pieces.

SPECIFICATIONS

Thickness: 1.2mm
Finish: Galvanized
Material: Mild Steel

| Table 1/1 | | | | | | |
|-------------------|----------------|--------|-------|-------|-----------------------|---|
| Catalog Number | Article Number | Height | Width | Depth | Enclosure Material | Product Family |
| BPP15 | BPP15 | 150mm | 35mm | 13mm | Mild Steel | Terminal Boxes, Human Machine Interface |
| BPP20 | BPP20 | 200mm | 35mm | 13mm | Mild Steel | Terminal Boxes, Human Machine Interface |
| BPP30 | BPP30 | 300mm | 35mm | 13mm | Mild Steel | Terminal Boxes, Human Machine Interface |
| BPP40 | BPP40 | 400mm | 35mm | 13mm | Mild Steel | Terminal Boxes, Human Machine Interface |
| BPP50 | BPP50 | 500mm | 35mm | 13mm | Mild Steel | Terminal Boxes, Human Machine Interface |
| BPP60 | BPP60 | 600mm | 35mm | 13mm | Mild Steel | Terminal Boxes, Human Machine Interface |
| BPP80 | BPP80 | 800mm | 35mm | 13mm | Mild Steel | Terminal Boxes, Human Machine Interface |

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF

TRACER

© 2025 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.