

1 HOLE TELECOM LUG



FEATURES

Provides an efficient bolting surface for grounding and power applications

Electrolytic grade copper

For use with nVent ERICO Cadweld mold GLPCC001TC only

SPECIFICATIONS


Material:CopperFinish:Tinned

Table 1/2							
Catalog Number	Height (H)	Width (W)	Thickness (T)	Length (L)	Α	Angle (a)	
B921CC14	7.93mm	15.88mm	3.18mm	22.23mm	9.5mm	90°	
B921CC38	7.93mm	15.88mm	3.18mm	22.23mm	9.5mm	90°	
B921CC516	7.93mm	15.88mm	3.18mm	22.23mm	9.5mm	90°	

Table 2/2						
Catalog Number	Hole Size (HS)	Equivalent Conductor Size				
B921CC14	7.14mm	50.39mm²				
B921CC38	10.32mm	50.39mm ²				
B921CC516	8.73mm	50.39mm²				

For sizes not listed, contact us.

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands: **nVent.com** CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

© 2025 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.