


FRONT PANEL, FLAT, REFROFIT SHIELDING, D-SUB CUTOUTS



Flat front panel with cutout for D-Sub connectors. Shieldable for stainless steel EMC gasket.

CERTIFICATIONS



FEATURES

For stainless steel EMC gasket

Aluminum, 2.5 mm, front anodized, conductive

SPECIFICATIONS

Table 1/3

Numero catalogo	EMC Gasket Type	Treated Edges	Front Finish	Rear Finish	EMC Shielding	Rack Width
30118-348	Acciaio inossidabile	No	Anodized	Conductive	No (Retrofittabile)	4 HP
30118-349	Acciaio inossidabile	No	Anodized	Conductive	No (Retrofittabile)	4 HP

Numero catalogo	EMC Gasket Type	Treated Edges	Front Finish	Rear Finish	EMC Shielding	Rack Width
30118-350	Acciaio inossidabile	No	Anodized	Conductive	No (Retrofittable)	4 HP
30118-351	Acciaio inossidabile	No	Anodized	Conductive	No (Retrofittable)	4 HP
30118-352	Acciaio inossidabile	No	Anodized	Conductive	No (Retrofittable)	4 HP
30118-353	Acciaio inossidabile	No	Anodized	Conductive	No (Retrofittable)	4 HP
30118-354	Acciaio inossidabile	No	Anodized	Conductive	No (Retrofittable)	4 HP

Table 2/3						
Numero catalogo	Package Quantity	Altezza	Product Type	Tipo	Rack Height	Larghezza
30118-348	5	128.4 mm	Front Panel	Front Panel without Handle	3 U	20 mm
30118-349	5	128.4 mm	Front Panel	Front Panel without Handle	3 U	20 mm
30118-350	5	128.4 mm	Front Panel	Front Panel without Handle	3 U	20 mm
30118-351	5	128.4 mm	Front Panel	Front Panel without Handle	3 U	20 mm
30118-352	5	128.4 mm	Front Panel	Front Panel without Handle	3 U	20 mm
30118-353	5	128.4 mm	Front Panel	Front Panel without Handle	3 U	20 mm
30118-354	5	128.4 mm	Front Panel	Front Panel without Handle	3 U	20 mm

Table 3/3			
Numero catalogo	È conforme a	Montaggio	Materiale
30118-348	IEC 60297-3-101, IEEE 1101.1/10	Screw-on Front	Alluminio
30118-349	IEC 60297-3-101, IEEE 1101.1/10	Screw-on Front	Alluminio
30118-350	IEC 60297-3-101, IEEE 1101.1/10	Screw-on Front	Alluminio
30118-351	IEC 60297-3-101, IEEE 1101.1/10	Screw-on Front	Alluminio
30118-352	IEC 60297-3-101, IEEE 1101.1/10	Screw-on Front	Alluminio

Numero catalogo	È conforme a	Montaggio	Materiale
30118-353	IEC 60297-3-101, IEEE 1101.1/10	Screw-on Front	Alluminio
30118-354	IEC 60297-3-101, IEEE 1101.1/10	Screw-on Front	Alluminio

ADDITIONAL PRODUCT DETAILS

Please order fixing material (sleeves, collar screws) separately.

Delivery is in standard pack multiples. Pricing is per individual item.

Please order stainless steel EMC gasket separately.

Please take into consideration that deliveries may be carried out in the stated SPQs (SPQ, e.g. 5 pieces, 10 pieces, 50 pieces, etc.). Differing order quantities (e.g. 2 pieces) may be changed to the next possible delivery quantity = Standard Pack Quantity.

AVVERTENZA

AVVERTENZA: i prodotti nVent devono essere installati e usati solo secondo le indicazioni riportate nei fogli delle istruzioni del prodotto nVent e nei materiali di formazione. I fogli di istruzioni sono disponibili sul sito www.nvent.com e presso il vostro rappresentante locale dell'assistenza clienti di nVent. Un'installazione scorretta, l'uso improprio, l'applicazione errata o altre inosservanze delle istruzioni e delle avvertenze di nVent possono causare un malfunzionamento del prodotto, danni alle proprietà, lesioni corporee gravi e morte e/o l'annullamento della garanzia.



Our powerful portfolio of brands:
nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF
TRACER