Field Touch Up Recommendations For Hot Dip Galvanized LENTON® Products

Hot dip galvanized coated LENTON® products and rebar should be handled in accordance with all code and industry guidelines and stored in such a manner as to minimize damage to the hot dip galvanized coating. However, should coating damage occur during handling, shipment or installation, the damaged areas can be touched up using approved hot dip galvanized patching techniques. The hot dip galvanized patch coating process should comply with ASTM® A780/A780M or equivalent as determined by the supervising Engineer or customer.

Note: LENTON® Couplers and LENTON® TERMINATORS are machined after the coating process. Small portions of the ends of these products may require field touch up.




Figure 1 Field Touch Up of LENTON Couplers




Figure 2 Field Touch Up of LENTON TERMINATORS

WARNING:

- ERICO products shall be installed and used only as indicated in ERICO product instruction sheets and training materials. Instruction sheets are available at www.erico.com and from your ERICO customer service representative.

 ERICO products must never be used for a purpose other than the purpose for which they were designed or in a manner that exceeds specified load ratings.

 All instructions must be completely followed to ensure proper and safe installation and performance.

 Improper installation, misuse, misapplication or other failure to completely follow ERICO's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death.

The customer is responsible for:
a. Conformance to all governing codes.
b. The integrity of structures to which the products are attached, including their capability of safely accepting the loads imposed, as evaluated by a qualified engineer. c. Using appropriate industry standard hardware as noted above.

All governing codes and regulations and those required by the job site must be observed.

Always use appropriate safety equipment such as eye protection, hard hat, and gloves as appropriate to the application.

ASTM is a registered trademark of American Society for Testing and Materials

